

Standard Aluminium Sashless in Capral 400 Frame – Single Glazed

| Window ID | Glazing | Heat% | Cool % | Uw | SHGC | Tvw | Air Inf |
|------------|-------------|-------|--------|-----|------|------|---------|
| AVW-003-01 | 6Clr | 16% | 23% | 6.2 | 0.63 | 0.65 | 1.83 |
| AVW-003-02 | 6Gy | 8% | 37% | 6.2 | 0.45 | 0.31 | 1.83 |
| AVW-003-03 | 6SpGy | 0,01% | 49% | 6.2 | 0.28 | 0.06 | 1.83 |
| AVW-003-04 | 6EV | 28% | 41% | 4.8 | 0.49 | 0.50 | 1.83 |
| AVW-003-05 | 6ET | 33% | 39% | 4.6 | 0.53 | 0.60 | 1.83 |
| AVW-003-06 | 6.38Sx | 17% | 25% | 6.1 | 0.61 | 0.65 | 1.83 |
| AVW-003-07 | 6.38CPClr | 32% | 40% | 4.6 | 0.52 | 0.61 | 1.83 |
| AVW-003-08 | 6.38CPGy | 25% | 50% | 4.6 | 0.38 | 0.29 | 1.83 |
| AVW-003-09 | 8.76ESITOGn | 24% | 53% | 4.5 | 0.35 | 0.51 | 1.83 |
| AVW-003-10 | 10.38Sx | 17% | 28% | 6.0 | 0.58 | 0.64 | 1.83 |
| AVW-003-11 | 10.38EV | 29% | 45% | 4.6 | 0.45 | 0.49 | 1.83 |
| AVW-003-12 | 10.38CPClr | 32% | 43% | 4.5 | 0.49 | 0.59 | 1.83 |

Standard Aluminium Sashless in Capral 400 Frame – Double Glazed

| Window ID | Glazing | Heat% | Cool % | Uw | SHGC | Tvw | Air Inf |
|------------|---------------------|-------|--------|-----|------|------|---------|
| AVW-004-01 | 4Clr/10Ar/4Clr | 41% | 37% | 4.1 | 0.59 | 0.62 | 1.83 |
| AVW-004-02 | 4Clr/10Ar/4ET | 47% | 42% | 3.5 | 0.56 | 0.57 | 1.83 |
| AVW-004-03 | 4ET/10Ar/4ET | 45% | 48% | 3.4 | 0.49 | 0.53 | 1.83 |
| AVW-004-04 | 4Clr/8Ar/6ET | 45% | 42% | 3.6 | 0.55 | 0.56 | 1.83 |
| AVW-004-05 | 4Clr/8Ar/6EV | 42% | 46% | 3.7 | 0.50 | 0.48 | 1.83 |
| AVW-004-06 | 6SpGy/6ClrAr/6Clr | 17% | 64% | 4.3 | 0.19 | 0.06 | 1.83 |
| AVW-004-07 | 6LoE366/6ClrAr/6Clr | 28% | 64% | 3.6 | 0.24 | 0.48 | 1.83 |
| AVW-004-08 | 6LoE366/6Ar/6ET | 27% | 65% | 3.6 | 0.23 | 0.44 | 1.83 |
| AVW-004-09 | 6Clr/6Ar/6ET | 42% | 43% | 3.8 | 0.53 | 0.56 | 1.83 |
| AVW-004-10 | 6Clr/6Ar/6Sn | 39% | 45% | 3.9 | 0.50 | 0.46 | 1.83 |
| AVW-004-11 | 4Clr/8Ar/6.38CPClr | 45% | 42% | 3.6 | 0.55 | 0.57 | 1.83 |
| AVW-004-12 | 6.38Sx/6Ar/6.38Sx | 38% | 40% | 4.2 | 0.54 | 0.61 | 1.83 |
| AVW-004-13 | 4Gy/10Ar/4Clr | 34% | 48% | 4.1 | 0.44 | 0.38 | 1.83 |
| AVW-004-14 | 6Gy/8Ar/4Clr | 29% | 53% | 4.2 | 0.37 | 0.29 | 1.83 |
| AVW-004-15 | 4ET/10Ar/4Gy | 43% | 48% | 3.5 | 0.48 | 0.36 | 1.83 |
| AVW-004-16 | LB ClrS0 4/10/4 | 44% | 51% | 3.3 | 0.46 | 0.61 | 1.83 |

Source: awawers.net/comsearch/search/vic, filter 'Manufacturers' by 'Austview'.

Standard Timber Sashless – Single Glazed

| Window ID | Glazing | Heat% | Cool % | Uw | SHGC | Tvw | Air Inf |
|------------|-------------|-------|--------|-----|------|------|---------|
| AVW-001-01 | 6Clr | 34% | 28% | 4.9 | 0.64 | 0.68 | 1.83 |
| AVW-001-02 | 6Gy | 25% | 44% | 4.9 | 0.45 | 0.32 | 1.83 |
| AVW-001-03 | 6SpGy | 15% | 55% | 4.9 | 0.28 | 0.07 | 1.83 |
| AVW-001-04 | 6EV | 45% | 48% | 3.4 | 0.49 | 0.53 | 1.83 |
| AVW-001-05 | 6ET | 48% | 45% | 3.3 | 0.54 | 0.63 | 1.83 |
| AVW-001-06 | 6.38Sx | 33% | 30% | 4.9 | 0.62 | 0.68 | 1.83 |
| AVW-001-07 | 6.38CPClr | 49% | 46% | 3.2 | 0.53 | 0.63 | 1.83 |
| AVW-001-08 | 6.38CPGy | 40% | 56% | 3.3 | 0.39 | 0.30 | 1.83 |
| AVW-001-09 | 8.76ESITOGn | 40% | 58% | 3.2 | 0.36 | 0.53 | 1.83 |
| AVW-001-10 | 10.38Sx | 33% | 33% | 4.8 | 0.59 | 0.67 | 1.83 |
| AVW-001-11 | 10.38EV | 44% | 51% | 3.3 | 0.45 | 0.51 | 1.83 |
| AVW-001-12 | 10.38CPClr | 47% | 48% | 3.2 | 0.50 | 0.61 | 1.83 |

Standard Timber Sashless – Double Glazed

| Window ID | Glazing | Heat% | Cool % | Uw | SHGC | Tvw | Air Inf |
|------------|---------------------|-------|--------|-----|------|------|---------|
| AVW-002-01 | 4Clr/10Ar/4Clr | 55% | 42% | 2.9 | 0.60 | 0.63 | 1.83 |
| AVW-002-02 | 4Clr/10Ar/4ET | 61% | 48% | 2.2 | 0.56 | 0.59 | 1.83 |
| AVW-002-03 | 4ET/10Ar/4ET | 59% | 54% | 2.1 | 0.49 | 0.54 | 1.83 |
| AVW-002-04 | 4Clr/8Ar/6ET | 59% | 48% | 2.4 | 0.55 | 0.58 | 1.83 |
| AVW-002-05 | 4Clr/8Ar/6EV | 56% | 52% | 2.4 | 0.50 | 0.49 | 1.83 |
| AVW-002-06 | 6SpGy/6ClrAr/6Clr | 30% | 71% | 3.1 | 0.18 | 0.06 | 1.83 |
| AVW-002-07 | 6LoE366/6ClrAr/6Clr | 41% | 71% | 2.4 | 0.23 | 0.49 | 1.83 |
| AVW-002-08 | 6LoE366/6Ar/6ET | 40% | 71% | 2.4 | 0.22 | 0.45 | 1.83 |
| AVW-002-09 | 6Clr/6Ar/6ET | 55% | 49% | 2.6 | 0.53 | 0.57 | 1.83 |
| AVW-002-10 | 6Clr/6Ar/6Sn | 53% | 51% | 2.7 | 0.50 | 0.47 | 1.83 |
| AVW-002-11 | 4Clr/8Ar/638CPClr | 60% | 49% | 2.3 | 0.55 | 0.58 | 1.83 |
| AVW-002-12 | 638Sx/6Ar/638Sx | 52% | 46% | 3.0 | 0.54 | 0.62 | 1.83 |
| AVW-002-13 | 4Gy/10Ar/4Clr | 48% | 54% | 2.9 | 0.44 | 0.39 | 1.83 |
| AVW-002-14 | 6Gy/8Ar/4Clr | 43% | 58% | 3.0 | 0.37 | 0.29 | 1.83 |
| AVW-002-15 | 4ET/10Ar/4Gy | 57% | 55% | 2.2 | 0.48 | 0.36 | 1.83 |
| AVW-002-16 | LB ClrS0 4/10/4 | 58% | 57% | 2.0 | 0.46 | 0.62 | 1.83 |

Source: awawers.net/comsearch/search/vic, filter 'Manufacturers' by 'Austview'.